Slash (58034-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically. Prices are shown in US Dollars.

Bearings & Bushings

4607 Ball bearings (5x11x4mm) (8)
2728 Ball bearings (5x8x2.5mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1675 Bushings, self-lubricating (5x11x4mm) (14)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3934 Body clips, heavy duty (12)
1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (2)/ hardware
1815 Body washers (8)
6716 Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
5814 Body, Ford Raptor® (clear, requires painting)/decals
5814A Body, Ford Raptor®, blue (painted, decals applied)
5814R Body, Ford Raptor®, red (painted, decals applied)
5814X Body, Ford Raptor®, white (painted, decals applied)
6811 Body, Slash 4X4 (clear, untrimmed, requires painting)/ window masks/ decal sheet
6817 Body, Slash 4X4, Amsoil (painted, decals applied)
6831 Body, Slash 4X4, Chad Hord (painted, decals applied)
6818 Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals applied)
6820 Body, Slash 4X4, Jeff Kincaid (painted, decals applied)
6821 Body, Slash 4X4, Jerry Whelchel Huffman Motorsports (painted, decals applied)
6825X Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)
6826 Body, Slash 4X4, Mike Jenkins #47 (painted, decals applied)
6811X Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet
6827 Body, Slash 4X4, Robby Gordon (painted, decals applied)
2514 Decal sheet, racing sponsors
5813 Decal Sheet, Slash
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)

Chassis & Attachments

5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (2)/ hardware
5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5835 Bumper, front/ bumper mount, front (black)
5836 Bumper, rear/ bumper mount, rear (black)
5830 Chassis conversion kit, low CG (Slash)
5832 Chassis, low CG (black)
5832A Chassis, low CG (blue)
5832G Chassis, low CG (grey)
5822 Chassis, Slash
5822A Chassis, Slash (black)
5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
5831 Lower chassis, low CG (black)
5831A Lower chassis, low CG (blue)
5831G Lower chassis, low CG (grey)
5823 Nerf bars, chassis (black)
5833 Nerf bars, low CG (black)
5833A Nerf bars, low CG (blue)
5833G Nerf bars, low CG (grey)
5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5837 Skidplates, front & rear (black)
5185 Tires, rubber (2) (fits Traxxas wheelie bar wheels)
4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677A Wheelie bar mount (1) / hardware (green)
3677 Wheelie bar mount (1)/ hardware (black)
3677X Wheelie bar mount (1)/ hardware (blue)
3678 Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
3678X Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)
3678A Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)
4976 Wheels (4)/ Axles (2), for Maxx wheelie bar
5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Differential Components

2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
5169 Screws, 2.6x8mm countersunk machine (6)
1647 Silicone grease

Driveline Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X Differential output yokes, hardened steel (w/ U-joints) (2)
6828X Differential output yokes, heavy duty (2)/ screw pin (2)
6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
6750 Half shaft, external splined (steel-spline constant-velocity) (1)
6751 Half shaft, internal splined (steel-spline constant-velocity) (1).
6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652X Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754 Stub axle pins (4)
6753 Stub axle, rear, steel-splined constant-velocity (1)
2753X Stub axles, rear (2)
6853X Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

3637 Axles (front) (2)
2728 Ball bearings (5x8x2.5mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530 Bulkhead (front) (black)
2530A Bulkhead (front) (grey)
3632 Caster blocks (l&r) (30-degree)
3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5347 Rod ends, Revo (large) with hollow balls (12)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
3744 Servo saver w/ adapters
3639 Shock tower (front)
3743 Steering bellcranks (l&r)/ draglink
3743A Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743X Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)

3636A Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636X Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631 Suspension arms (front) (2)
2640 Suspension pins, 44mm (2) w/ E-clips
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
2532 Tie bar, fiberglass
1935 Turnbuckles, 36mm (2)
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
1633 E-clips/ C-rings
2586 Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18mm button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2746 Washers, 3x6mm metal (12)

Manuals

5899 Owner's Manual, Slash

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2072 Gear set (for 2070, 2075 servos)
3785 Motor, Titan 12T (12-Turn, 550 size)
3351R Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
3350R Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC converter, 40W
2938 Adapter, Traxxas iD Lipo Battery. (Connects Traxxas iD batteries to LiPo chargers with separate balance ports)
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitter)
2914 Battery, Power Cell AA Alkaline (4)
2927X Charger, A/C, 500 mA (7 cell, NiMH) (includes plug inserts for US/Japan, European Union, United Kingdom, and Australia)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2970 Charger, EZ-Peak Plus, 4 amp, LiPo/NiMH with iD Auto Battery Identification
6525 Communication link, telemetry expander
2072 Gear set (for 2070, 2075 servos)
6554 Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6518 Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
6550 Telemetry expander, TQi radio system
6551 Telemetry GPS module, TQi radio system
6540 Telemetry trigger magnet, 5X2mm (1)
6509X TQi 2.4 GHz radio system, 2-channel Traxxas Link enabled (2-ch transmitter, 5-ch micro receiver)
6507X TQi 2.4 GHz radio system, 4-channel with Traxxas Link Wireless Module (4-ch transmitter, 5-ch micro receiver)
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
6537 Wire retainers, gear cover/ 3x4mm BCS (2)
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

58034-1 Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ 2.4GHz radio system

Rear Suspension

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
3638 Shock tower (rear)
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652X Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X Stub axles, rear (2)
2555 Suspension arms, (rear) (2)
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

Shocks (Aluminum)

1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)

2742X Rod ends, short (6)/ hollow balls (6)
2760 Shock caps, aluminum (2)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2765 Shock shafts, steel, chrome finish (X-long) (2)
4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1666 Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

2664 Big Bore shock cylinder (long) (1)
2666 Big Bore shock cylinder (XX-long) (1)
5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362 Rebuild kit, Ultra shocks (for 2 shocks
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 Shock caps, aluminum (2)/ (Big Bore Shocks)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 Rebuild kit, Ultra shocks (for 2 shocks
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458 Springs, front (black) (2)
2458A Springs, front (white) (2)
5857 Springs, front (white) (progressive rate) (2)
3757 Springs, rear (black) (2)
3757T Springs, rear (blue) (2)
3757A Springs, rear (green) (2)
3757X Springs, rear (white) (2)
5858 Springs, rear (white) (progressive rate) (2)
4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

2416 Gear, 16-T pinion (48-pitch) / set screw
1918 Gear, 18-T pinion (48-pitch) / set screw
2419 Gear, 19-T pinion (48-pitch) / set screw
2423 Gear, 23-T pinion (48-pitch) / set screw
2426 Gear, 26-T pinion (48-pitch)/set screw
2431 Gear, 31-T pinion (48-pitch) / set screw
4725 Gear, pinion (25-tooth) (48-pitch) / set screw
4728 Gear, pinion (28-tooth) (48-pitch)/ set screw
4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728 Ball bearings (5x8x2.5mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo (large) with hollow balls (12)
3744 Servo saver w/ adapters
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743 Steering bellcranks (l&r)/ draglink
3743A Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743X Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935 Turnbuckles, 36mm (2)
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746 Washers, 3x6mm metal (12)

Suspension Linkage

5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo (large) with hollow balls (12)
3739 Screw pin set (Rustler/ Bandit/ Stampede)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2640 Suspension pins, 44mm (2) w/ E-clips
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench

3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone grease
2754 Stub axle pins (4)
5864 Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5885A Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
5883A Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5880X Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5880 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5882 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
6873X Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5882R Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
5877R Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
6873R Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
6874R Tires & wheels, assembled, glued (S1 ultra-solft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5863 Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear)
5869 Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5867 Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
5873R Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)
5881X Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
5875 Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5873 Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5879 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5878 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
5881 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
5875X Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5873X Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5875A Tires & wheels, assembled, glued (SCT satin chrome, red beadlock style wheels, SCT off-road tires, foam inserts) (2) (2WD front)
5875R Tires & wheels, assembled, glued (SCT satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD front)
5873A Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6873A Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
6873 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
6874 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5885 Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD Front)
5883 Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
5877A Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5877 Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5865 Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)
6876 Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
6871 Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6871R Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6870 Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6870R Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5871 Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5871R Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
1654 Wheel hubs, hex (2)/ stub axle pins (2)
3654 Wheel hubs, hex (tall offset, Rustler/Stampede front) (2)/ axle pins (2.5x10mm) (2)
5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X Wheel wrench, splined, 17mm
5870X Wheels, SCT black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5868X Wheels, SCT black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5870 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5874 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)
5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5872X Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)

5874X Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5874A Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5872A Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5886A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5884A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5886 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5876A Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
6872A Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5876 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
6872 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5866 Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)
6875 Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)

Transmission Components

1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
4607 Ball bearings (5x11x4mm) (8)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792 Dust cover/rubber plug (w/ screws) (telemetry ready)
3691 Gearbox halves (l&r) (black) w/ idler gear shaft
3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
5148 Grease, white lithium
3696 Idler gear, steel (30-tooth)
3793 Input shaft (slipper shaft) / spring pin
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
1647 Silicone grease
5556 Slipper pressure plate & hub (aluminum alloy)
3195 Top drive gear, steel (22-tooth)

Turnbuckles & Threaded Rods

5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo (large) with hollow balls (12)
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)