Slash 4X4 (68086-21) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically. Prices are shown in US Dollars.

Bearings & Bushings

4607 Ball bearings (5x11x4mm) (8)
4612 Ball bearings (10x15x4mm) (2)
2728 Ball bearings (5x8x2.5mm) (2)
5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
3934 Body clips, heavy duty (12)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3934 Body clips, heavy duty (12)
6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
1815 Body washers (8)
4915 Body washers, foam adhesive (10)
5814 Body, Ford Raptor® (clear, requires painting)/decals
5814A Body, Ford Raptor®, blue (painted, decals applied)
5814R Body, Ford Raptor®, red (painted, decals applied)
5814X Body, Ford Raptor®, white (painted, decals applied)
6811 Body, Slash 4X4 (clear, untrimmed, requires painting)/ window masks/ decal sheet
6817 Body, Slash 4X4, Amsoil (painted, decals applied)
6831 Body, Slash 4X4, Chad Hord (painted, decals applied)
6818 Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals applied)
6820 Body, Slash 4X4, Jeff Kincaid (painted, decals applied)
6821 Body, Slash 4X4, Jerry Whelchel Huffman Motorsports (painted, decals applied)
6825X Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)
6826 Body, Slash 4X4, Mike Jenkins #47 (painted, decals applied)
6811X Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet
2514 Decal sheet, racing sponsors
6813 Decal sheet, Slash 4X4
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)

Center Driveline

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6841 Cover, center driveshaft (clear)
6877A Cover, gear (clear)
6877 Cover, gear/ motor wire hold-down clip
6814 Differential kit, center (complete)
6888 Drive hub, center, rear (1)/ front (1)/screw pin
6888X Drive hub, front, hardened steel (1)/ screw pin (1)
6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
5148 Grease, white lithium
6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
6890 Plate, motor
6890X Plate, motor, 6061-T6 aluminum (blue-anodized)
5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
1647 Silicone grease
6878 Slipper clutch, complete
5556 Slipper pressure plate & hub (aluminum alloy)
5351 Slipper pressure plate and hub (alloy)

Chassis & Attachments

7426 Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
7426X Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)
6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
7424 Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
6835 Bumper, front/ bumper mount, front (black)
6836 Bumper, rear/ bumper mount, rear (black)
7422 Chassis
6840 Mount, Go-pro camera, fiberglass
7423 Nerf bars, chassis (2)
7425 Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6814 Differential kit, center (complete)
6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6881 Housings, differential, front
6880 Housings, differential, rear
5379X Ring gear, differential/ pinion gear, differential
6879 Ring gear, differential/ pinion gear, differential (rear)
3965 Screws, 2.5x8mm cap-head machine (6)
1647 Silicone grease

Driveline Components

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
6828X Differential output yokes, heavy duty (2)/ screw pin (2)
6851X Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6855 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
6851R Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
6750 Half shaft, external splined (steel-spline constant-velocity) (1)
6751 Half shaft, internal splined (steel-spline constant-velocity) (1).
6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6754 Stub axle, front, steel-splined constant-velocity (1)
6753 Stub axle, rear, steel-splined constant-velocity (1)
6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6853X Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

2728 Ball bearings (5x8x2.5mm) (2)
6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
6832X Caster blocks (c-hubs), 6061-T6 aluminum, left & right (blue-anodized)
6832R Caster blocks (c-hubs), 6061-T6 aluminum, left & right (red-anodized)
6832 Caster blocks (c-hubs), left & right
6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)

6839 Shock tower, front
6839X Shock tower, front, 7075-T6 aluminum (blue-anodized)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6837X Steering blocks, 6061-T6 aluminum, left & right (blue-anodized)
6837R Steering blocks, 6061-T6 aluminum, left & right (red-anodized)
6837 Steering blocks, left & right
6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
3655X Suspension arms, left & right
6834 Suspension pin set, complete (front and rear)
6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Hardware

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
3935 Body clip (mounting clip), angled, 90-degrees (10)
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
2586 Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18mm button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2534 Screws, 3x6mm countersunk machine (6) (hex drive)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2748X Tool Set (1.5mm &2.5mm allens/ 4-way lug, 8mm &4mm wrench & U-joint wrenches)
2746 Washers, 3x6mm metal (12)

Manuals

6899 Owner's manual, Slash 4X4

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3340 Cooling fan, Velineon VXL-3s ESC
2072 Gear set (for 2070, 2075 servos)
7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460X Motor mount, 6061-T6 aluminum (blue-anodized)
3351R Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3378 MXL-6s Brushless Power System, waterproof (includes MXL-6s waterproof ESC, 2200Kv, 75mm motor)
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
3350R Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless)(fwd/rev/brake)

On-Board Audio System

6581 Double-sided adhesive, sound output module (4)
6585 Mounts, sound output module, Slash (front & rear)
6580 Sound output module, on-board audio system

Radio System, Batteries & Chargers

2854X 10000mAh 7.4v 2-Cell 25C LiPo Battery
2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery
2857X 6400mAh 11.1v 3-Cell 25C LiPo Battery
2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
2878X 8400mAh 11.1v 3-Cell 25C LiPo Battery
2976 AC to DC converter, 40W
2938 Adapter, Traxxas iD Lipo Battery. (Connects Traxxas iD batteries to LiPo chargers with separate balance ports)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitter)
2914 Battery, Power Cell AA Alkaline (4)
2922X Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2963X Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2927X Charger, A/C, 350 mA (7 cell, NiMH) (includes plug inserts for US/Japan, European Union, United Kingdom, and Australia)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2970 Charger, EZ-Peak Plus, 4 amp, LiPo/NiMH with iD Auto Battery Identification
6525 Communication link, telemetry expander
6512 Cover plate, Traxxas Link Wireless Module
2072 Gear set (for 2070, 2075 servos)
6555 Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, Jato)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
6550 Telemetry expander, TQi radio system
6551 Telemetry GPS module, TQi radio system
6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 Telemetry trigger magnet, 5X2mm (1)
6509X TQi 2.4 GHz radio system, 2-channel Traxxas Link enabled (2-ch transmitter, 5-ch micro receiver)
6507X TQi 2.4 GHz radio system, 4-channel with Traxxas Link Wireless Module (4-ch transmitter, 5-ch micro receiver)
6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link Wireless Module
3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Ready-To-Race Model

68086-21 Slash 4X4: 1/10 Scale 4WD Electric Short Course Truck with TQi Traxxas Link Enabled 2.4GHz Radio System, On-Board Audio, & Traxxas Stability Management (TSM)

Rear Suspension

6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
6829 Bulkhead, rear
1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)
1952 Carriers, stub axle (rear) (2)
1952A Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)
6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6838 Shock tower, rear
6838X Shock tower, rear, 7075-T6 aluminum (blue-anodized)
6853X Stub axles, rear, heavy duty (2)/pins (2)
3655X Suspension arms, left & right
6834 Suspension pin set, complete (front and rear)
6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Shocks (Aluminum)

1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2760 Shock caps, aluminum (2)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2765 Shock shafts, steel, chrome finish (X-long) (2)
4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1666 Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

2664 Big Bore shock cylinder (long) (1)
2666 Big Bore shock cylinder (XX-long) (1)
5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362 Rebuild kit, Ultra shocks (for 2 shocks
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 Shock caps, aluminum (2)/ (Big Bore Shocks)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863 Springs, front (progressive, +10% rate, pink) (2)
6864 Springs, front (progressive, +20% rate, blue) (2)
6862 Springs, front (progressive, -10% rate, green) (2)
6861 Springs, front (progressive, -20% rate, orange) (2)
6857 Springs, front (white) (progressive rate) (2)
6867 Springs, rear (progressive, +10% rate, pink) (2)
6868 Springs, rear (progressive, +20% rate, blue) (2)
6866 Springs, rear (progressive, -10% rate, green) (2)
6865 Springs, rear (progressive, -20% rate, orange) (2)
6858 Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

3642 Attachment screws, shock (3x12mm shoulder screws) (6)
3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 Rebuild kit, Ultra shocks (for 2 shocks
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
7461X Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462X Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
6863 Springs, front (progressive, +10% rate, pink) (2)
6864 Springs, front (progressive, +20% rate, blue) (2)
6862 Springs, front (progressive, -10% rate, green) (2)
6861 Springs, front (progressive, -20% rate, orange) (2)
6857 Springs, front (white) (progressive rate) (2)
6867 Springs, rear (progressive, +10% rate, pink) (2)
6868 Springs, rear (progressive, +20% rate, blue) (2)
6866 Springs, rear (progressive, -10% rate, green) (2)
6865 Springs, rear (progressive, -20% rate, orange) (2)
6858 Springs, rear (white) (progressive rate) (2)
3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6814 Differential kit, center (complete)
6888 Drive hub, center, rear (1)/ front (1)/screw pin
6888X Drive hub, front, hardened steel (1)/ screw pin (1)
6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
3793 Input shaft (slipper shaft) / spring pin
5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
6878 Slipper clutch, complete
5556 Slipper pressure plate & hub (aluminum alloy)
5351 Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

3942 Gear, 12-T pinion (32-p) (mach. steel)/ set screw
3943 Gear, 13-T pinion (32-p) (mach. steel)/ set screw
3944 Gear, 14-T pinion (32-p) (mach. steel)/ set screw
3945 Gear, 15-T pinion (32-p) (mach. steel)/ set screw
3946 Gear, 16-T pinion (32-p) (mach. steel)/ set screw
3947 Gear, 17-T pinion (32-p) (mach. steel)/ set screw
3948 Gear, 18-T pinion (32-p) (mach. steel)/ set screw

3949 Gear, 19-T pinion (32-p) (mach. steel)/ set screw
3950 Gear, 20-T pinion (32-p) (mach. steel)/ set screw
3951 Gear, 21-T pinion (32-p) (mach. steel)/ set screw
3952 Gear, 22-T pinion (32-p) (mach.steel)/set screw
6842 Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
6843 Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differnential)

Steering Components

1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
2728 Ball bearings (5x8x2.5mm) (2)
6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742 Rod ends, long (6)/ hollow ball connectors (6)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2746 Washers, 3x6mm metal (12)

Suspension Linkage

5525 Rod ends (12)/ hollow balls (12)
3739 Screw pin set (Rustler/ Bandit/ Stampede)
6834 Suspension pin set, complete (front and rear)
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone grease
2754 Stub axle pins (4)
5883A Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5880X Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6873X Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6873R Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
6874R Tires & wheels, assembled, glued (S1 ultra-solft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5863 Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear)
5867 Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
5873R Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)
5873 Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5878 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
5873X Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5873A Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6873A Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
6873 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
5883 Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
6871 Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7 2.2/3.0") (2)/ foam inserts (2)
6871R Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5871 Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5871R Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
1654 Wheel hubs, hex (2)/ stub axle pins (2)
6856X Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X Wheel wrench, splined, 17mm
5868X Wheels, SCT black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5872X Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5872A Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5884A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
6872A Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
6872 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only (2)

Turnbuckles & Threaded Rods

5525 Rod ends (12)/ hollow balls (12)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)